



Trijicon RMR™ Series



When precision is the only option, your best option is the Trijicon RMR™ sight. Built to provide optimum red-dot visibility with a minimal profile, you can acquire and hit your target quickly and more accurately.

STRONG

The new Trijicon RMR (Ruggedized Miniature Reflex) has been introduced to match the legendary toughness of the Trijicon ACOG® (Advanced Combat Optical Gunsight). It can be teamed up with the ACOG for the ultimate in fast target acquisition or precise aiming at extended distances.

The RMR offers two illumination configurations. One choice is an innovative LED (light emitting diode) insert that automatically adjusts for brightness in any lighting situation and ensures optimum visibility of the red dot against the target. The second option is a dual-illuminated, battery-free model featuring Trijicon fiber optics and tritium.


PRECISE

Accuracy is further enhanced with adjustments for windage and elevation. And clarity is assured with the sight's ultra-clear, hard-coated lens.

The LED RMR is powered by a long-life lithium battery that delivers 17,000 hours of battery life or more. The dual-illuminated RMR never needs batteries, thanks to its tritium and fiber-optic illumination.

Designed with a rugged aluminum housing, the RMR delivers superior performance under the most extreme conditions for virtually all military, law enforcement, and for all types of hunting and shooting applications. This versatile sight is right on target for handguns, carbines, rifles and shotguns.

The RMR housing design incorporates computer-optimized geometry that absorbs impacts and diverts stresses around and away from the lens. This design improves durability and eliminates the need for protective shields or covers.



Model RM01
LED Version



Model RM03
Dual-illuminated Version

Trijicon RMR™ (Ruggedized Miniature Reflex)



The World's Toughest Red Dot Sight

Developed to improve precision and accuracy with any style or caliber of weapon, the Trijicon RMR™ (Ruggedized Miniature Reflex) is designed to be as durable as the legendary Trijicon ACOG®.

The RMR is available in two illumination options: a battery-free model featuring Trijicon fiber optics and tritium and an LED version powered by a standard CR2032 battery.

Housed in rugged forged aluminum, the RMR is extremely tough yet lightweight. New, easy-to-use adjusters with audible clicks allow for quick windage and elevation adjustments.

The new Trijicon RMR is tougher than any alternative and suitable for military, law enforcement and hunting applications.

Over 17,000 Hours of Battery Life

Single CR2032 battery can last up to 35,000 hours and up to 4 years in dark storage.

Bright LED Illumination

Auto-adjusts for brightness in any light situation.

Adjustable Elevation

Easily adjustable without special tools. 1 MOA per click.

Trijicon Fiber Optics

Automatically adjusts the brightness level and contrast of the reticle to available light conditions.

Trijicon Tritium-Phosphor Lamp

Aiming reticle glows in low-light conditions for quick target acquisition. Lamp is guaranteed to illuminate up to 15 years.

Model RM01



Model RM03

True-Color Multi-Coated Lens

Creates a wide-band light transmission for minimal change in target area color.

Adjustable Windage

Easily adjustable without special tools. 1 MOA per click.

7075-T6 Military-Grade Aluminum-Alloy Housing

For extreme durability.

Lifetime Warranty

Backed by Trijicon quality and service.



Proudly Made in the U.S.A.



Waterproof

Completely waterproof to a depth of 66 feet/20 meters.

Trijicon RMR™ LED Reticle Options:



8 MOA

■ RM02



4 MOA

■ RM01

Trijicon RMR™ Dual-Illuminated Reticle Options:



13 MOA

■ RM03



9 MOA

■ RM05



7 MOA

■ RM04

Trijicon RMR™ Model Specifications



| Model | Trijicon RMR™ LED | Trijicon RMR™ Dual-Illuminated |
|-----------------------------|---|---|
| Magnification | 1x | 1x |
| Sight Window | 22mm x 16mm | 22mm x 16mm |
| Elevation Adjustment Range | 436cm @ 100m (157 in. @ 100 yds) | 436cm @ 100m (157 in. @ 100 yds) |
| Windage Adjustment Range | 436cm @ 100m (157 in. @ 100 yds) | 436cm @ 100m (157 in. @ 100 yds) |
| Recoil Resistance | 1,100g | 1,100g |
| Operation Temperature Range | -40°C to +49°C / -40°F to +120°F | -40°C to +49°C / -40°F to +120°F |
| Storage Temperature Range | -40°C to +71°C / -40°F to +160°F (w/out battery) | -40°C to +71°C / -40°F to +160°F |
| Power Supply | 3V with 1 x CR2032 (Lithium) | Tritium & Fiber Optics |
| Dimensions (L x W x H) | 45mm x 28mm x 25mm | 45mm x 30mm x 26mm |
| Weight | 1.2 oz. (34 grams) w/ battery | 1.2 oz. (34 grams) |
| Lens | Tempered Glass | Tempered Glass |
| Body | Forged Aluminum | Forged Aluminum |
| Battery Life | Up to 2 years of continuous use*, up to 4 years in dark storage | N/A |
| |  |  |

*When used at nominal temperatures. Extreme temperatures (high or low) will affect lithium battery performance.

Trijicon RMR™

(Ruggedized Miniature Reflex)

| TRIJICON RMR™ LED MODEL # | Description |
|---------------------------|---|
| RM01 | Trijicon RMR Sight (LED) - 4.0 MOA Red Dot |
| RM01-33 | Trijicon RMR Sight 4 MOA with RM33 Picatinny rail mount |
| RM01-34 | Trijicon RMR Sight 4 MOA with RM34 Picatinny rail mount |
| RM01-34W | Trijicon RMR Sight 4 MOA with RM34W Weaver rail mount |
| RM01-35 | Trijicon RMR Sight 4 MOA with RM35 ACOG mount |
| RM01-36 | Trijicon RMR Sight 4 MOA with RM36 ACOG mount |
| RM01-38 | Trijicon RMR Sight 4 MOA with RM38 ACOG mount |
| RM02 | Trijicon RMR Sight (LED) - 8.0 MOA Red Dot |
| RM02-33 | Trijicon RMR Sight 8 MOA with RM33 Picatinny rail mount |
| RM02-34 | Trijicon RMR Sight 8 MOA with RM34 Picatinny rail mount |
| RM02-34W | Trijicon RMR Sight 8 MOA with RM34W Weaver rail mount |
| RM02-35 | Trijicon RMR Sight 8 MOA with RM35 ACOG mount |
| RM02-36 | Trijicon RMR Sight 8 MOA with RM36 ACOG mount |
| RM02-38 | Trijicon RMR Sight 8 MOA with RM38 ACOG mount |

| TRIJICON RMR™ DUAL-ILLUMINATED MODEL # | Description |
|--|---|
| RM03 | Trijicon RMR Dual Illuminated Sight - 13.0 MOA Amber Dot |
| RM03-33 | Trijicon RMR Dual Illuminated Sight 13 MOA with RM33 Picatinny rail mount |
| RM03-34 | Trijicon RMR Dual Illuminated Sight 13 MOA with RM34 Picatinny rail mount |
| RM03-34W | Trijicon RMR Dual Illuminated Sight 13 MOA with RM34W Weaver rail mount |
| RM03-35 | Trijicon RMR Dual Illuminated Sight 13 MOA with RM35 ACOG mount |
| RM03-36 | Trijicon RMR Dual Illuminated Sight 13 MOA with RM36 ACOG mount |
| RM03-38 | Trijicon RMR Dual Illuminated Sight 13 MOA with RM38 ACOG mount |
| RM04 | Trijicon RMR Dual Illuminated Sight - 7.0 MOA Amber Dot |
| RM04-33 | Trijicon RMR Dual Illuminated Sight 7 MOA with RM33 Picatinny rail mount |
| RM04-34 | Trijicon RMR Dual Illuminated Sight 7 MOA with RM34 Picatinny rail mount |
| RM04-34W | Trijicon RMR Dual Illuminated Sight 7 MOA with RM34W Weaver rail mount |
| RM04-35 | Trijicon RMR Dual Illuminated Sight 7 MOA with RM35 ACOG mount |
| RM04-36 | Trijicon RMR Dual Illuminated Sight 7 MOA with RM36 ACOG mount |
| RM04-38 | Trijicon RMR Dual Illuminated Sight 7 MOA with RM38 ACOG mount |
| RM05 | Trijicon RMR Dual Illuminated Sight - 9.0 MOA Amber Dot |
| RM05-33 | Trijicon RMR Dual Illuminated Sight 9 MOA with RM33 Picatinny rail mount |
| RM05-34 | Trijicon RMR Dual Illuminated Sight 9 MOA with RM34 Picatinny rail mount |
| RM05-34W | Trijicon RMR Dual Illuminated Sight 9 MOA with RM34W Weaver rail mount |
| RM05-35 | Trijicon RMR Dual Illuminated Sight 9 MOA with RM35 ACOG mount |
| RM05-36 | Trijicon RMR Dual Illuminated Sight 9 MOA with RM36 ACOG mount |
| RM05-38 | Trijicon RMR Dual Illuminated Sight 9 MOA with RM38 ACOG mount |



POLICE